



# VINYL FLOORING

For Residential Spaces

# **TABLE OF CONTENTS**

## **(LVT and LVP) Luxury Vinyl Tile and Plank**


**04** LVT and LVP Color Collection

**05** LVT and LVP Specifications

## **(RVP) Rigid Vinyl Plank**


**08** RVP Color Collection

**09** RVP Specifications



LVT (Luxury Vinyl Tile) and LVP (Luxury Vinyl Plank) present distinctive styles in luxury vinyl flooring, with LVT resembling the elegance of tiles and LVP mirroring the timeless charm of hardwood planks. Both choices are effortless to install, waterproof, durable, and offer a wide range of captivating designs.

**LVP-15043**




A1068



1131



M7304




71751




15043



64301



Y1317




Y0315



64303



88223




70677




70637


## LVT and LVP Color Collection:



76004



30E001



30E016

## LVT and LVP Specifications

Product Construction	: High Performance Luxury Vinyl Tile
Finish	: Enhanced Urethane
Wear Layer Thickness	: 8 mil (0.2 mm)
Total Thickness	: 2 mm
LVP Board Size	: 7.25" x 48" x 2.0 mm

## Installation Method



\*Click-lock system

\*\*This type of vinyl flooring requires underlayment and glue-down.

## Performance Qualifications



Water Proof



Anti-Termite



Superior  
Scratch Resistant



Anti-Slip



Fade  
Resistance



Cigarette burn  
resistance



Fire  
Resistance



Zero  
Formaldehyde



Sound  
Absorbing



**LVP-Y1317**



Rigid Vinyl Plank (RVP) flooring, features a sturdy stone-polymer composite core for stability and dent resistance, perfect for high-traffic areas or rooms with heavy furniture. The RVP offers a user-friendly click-lock system, allowing for easy installation as a floating floor.

**RVP-83010**



83010




5106



6006



6628



38626




86006



2725



30E012



6116



6331



6134



5102

RVP Color Collection:



RVP Specifications

Finish	: Enhanced Polyurethane
Wear Layer Thickness	: 20 mil (1.5 mm)
Total Thickness	: 7.5 mm
Board Size	: 9" x 60" x 7.5 mm

Installation Method



\*Click-lock system

Performance Qualifications

A circular icon with a water drop inside, representing water resistance.

A circular icon with a termite and a diagonal slash through it, representing resistance to termites.

A circular icon showing a hand scratching a surface, representing scratch resistance.

A circular icon showing a person slipping, representing anti-slip properties.

A circular icon with a sun and a pencil, representing resistance to fading.

A circular icon showing a lit cigarette, representing resistance to cigarette burns.

A circular icon with a flame, representing fire resistance.

A circular icon with the text "ZERO Formaldehyde", representing zero formaldehyde content.

A circular icon with a speaker and a diagonal slash through it, representing sound absorption.

Water Proof

Anti-Termite

Superior  
Scratch Resistant

Anti-Slip

Fade  
Resistance

Cigarette burn  
resistance

Fire  
Resistance

Zero  
Formaldehyde

Sound  
Absorbing



**RVP-6331**



**RVP-6134**



Young Corporation is the wholly-owned parent company for all of Young's operating brands and assets, including manufacturing facilities in Indonesia, USA, and Ukraine; warehouse facilities in Georgia, Florida, California, Canada and in the UK.



## HEADQUARTERS

OFFICE, PRODUCTION, WAREHOUSE

---

4261 Communications Drive, Norcross, GA 30093  
marketing@youngcorporation.com  
1-877-374-6782

**www.Induro.biz**